

## CURRICULUM VIAE

**Rahul Rama Nanda Das**  
**Shyamnagar, Purbapara**  
**Tehatta, Nadia**  
**Pin-741155**  
**West Bengal, INDIA**  
**MO: +91-8967421019.**  
**Email: rd024822@gmail.com**



**Respected Sir**

**SUB An Application for the post of MIG & ARC Welder for Gulf Employment**

Being given to understand that you have been recruiting personal for the above post for employment in overseas countries, I am taking this opportunity to submit my candidature with relevant detail for your kind consideration.

Name in full	<b>:- Rahul Rama Nanda Das</b>
Date of Birth	<b>:- 05-03-1996</b>
Place of Birth	<b>:- Shyamnagar- West Bengal</b>
Nationality	<b>:- Indian</b>
Marital Status	<b>:- Married</b>
Communication skill	<b>:- Hindi and English</b>
Passport Details	
<b>Passport No</b>	<b>:- S 1927900</b>
<b>Place of Issue</b>	<b>:- Kolkata</b>
<b>Date of Issue</b>	<b>:- 01-06-2018</b>
<b>Valid up to</b>	<b>:- 31-05-2028</b>

### **Academy Education**

Work Experience **12th Class PASS -2016**

<b>Previous Employer</b>	<b>Nova Tech Engineers Pvt. Ltd. Navsari</b>
<b>Position</b>	<b>Mig - Welder</b>
<b>Period</b>	<b>05/01/2017 to 20/04/2018</b>

<b>Previous Employer</b>	<b>Neo Structo Construction PVT LTD</b>
<b>Position</b>	<b>Mig - Welder</b>
<b>Period</b>	<b>30-01-2019 to 22-09-2019</b>

<b>Previous Employer</b>	<b>Fabtech International Limited Freezone Dubai UAE</b>
<b>Position</b>	<b>MIG &amp; ARC/6GR-Welder</b>
<b>Period</b>	<b>10/12/2019 to 20/12/2024</b>

- **Currently working for GODREJ & BOYCEE LTD Vikhroli West, Mumbai from March 2025 till Date**

**I hereby declare and confirm that the information proceeded by me is true to the best of my knowledge and belief Given an opportunity, I am confident about nurturing the interest of your seemed organization.**

**Thanking You,**

**Yours truly**  
**Rahul Das**



Institution Code 112062

No. 643377

West Bengal Council Of Higher Secondary Education



Certified that RAHUL DAS

Roll 431111 No. 1762

son/daughter/ward of RAMA NANDA DAS

passed the Higher Secondary Examination 2016 from

SIDDHESWARITALA INSTITUTION

with overall Grade ☐



Vidyasagar Bhavan  
Salt Lake, Kolkata - 700 091  
India

Subrata Ghosh  
Secretary

Mahua Das  
President

Date 16th May, 2016



# WEST BENGAL COUNCIL OF HIGHER SECONDARY EDUCATION

INSTITUTION  
CODE

112062

NO.

B779830



MARK-SHEET  
Higher Secondary Examination

2016

THE FOLLOWING IS THE STATEMENT OF MARKS AND GRADE OBTAINED BY

RAHUL DAS

ROLL 431111

No. 1762 AT THE HIGHER SECONDARY EXAMINATION 2016.

SUBJECTS	FULL MARKS		PASS MARKS		MARKS/GRADE		TOTAL	SUBJECT GRADE
	THEORY	PRACTICAL /ORAL/ PROJECT	THEORY	PRACTICAL /ORAL/ PROJECT	THEORY	PRACTICAL /ORAL/ PROJECT	IN FIGURES	
							IN WORDS	
COMPULSORY LANGUAGE								
BNGA	80	20	24	6	47/B	18/0	65	B+
					(SIXTY FIVE)			
ENGB	80	20	24	6	29/P	17/A+	46	C
					(FORTY SIX)			
COMPULSORY ELECTIVE								
HIST	80	20	24	6	31/P	19/0	50	B
					(FIFTY)			
PHIL	80	20	24	6	25/P	18/0	43	C
					(FORTY THREE)			
SNSK	80	20	24	6	26/P	18/0	44	C
					(FORTY FOUR)			
OPTIONAL ELECTIVE								
COMPULSORY								
						GRAND TOTAL	248	
RESULT: PASSED								

RESULT: PASSED

OVERALL GRADE: C

*Kalyan Sen Gupta*

PLEASE SEE REVERSE

DEPUTY SECRETARY (EXAMINATION)



# **Nova Tech**

## **ENGINEERS**

Plot No. 141 to 146,  
G.I.D.C., Kabilpore,  
Navsari - 396 424,  
Gujarat.  
Ph.+91 7698517268  
novatechengineers@hotmail.com

**NOVA TECH ENGINEERS**  
PLOT No. 141 TO 146, G.I.D.C.  
KABILPORE- 396424. NAVSARI.

**Date:- 20/04/2018**

### TO WHOM IT MAY CONCERN

This is to certify that **Mr. Rahul Rama Nada Das** Was employed in our company as a “**Mig Welder**” From 05/01/2017 to 20/04/2018

During the service period He was found to be honest, hardworking , punctual, trustworthy, tactful and always very regular in his attendance.

He left us for his better prospect,

We hardly recommended a needy & noble person,

We wish him all success in his future endeavors.



**For, Nova Tech Engineers**



**:: वेल्डरों के लिये आवश्यक सूचनाएं ::**

- (1) "I" कार्ड हमेशा अपने साथ रखिये ।
- (2) प्री-हीटिंग और इंटरपास टेम्परेचर का विशेष ध्यान रखिये ।
- (3) जोब सरफेस पर आर्क स्ट्राइक नही होना चाहिये ।
- (4) "I" कार्ड का गलत उपयोग करनेवाले का क्वालिफिकेशन रद्द कर दिया जायेगा ।
- (5) वेल्डर का उपयोग इस "I" कार्ड एवं वेल्डर मास्टर लिस्ट को जांच के करे ।



**Neo Structo Construction Pvt. Ltd.**  
WE R'S



NAME : **RAHUL DAS**

WELDER NO : **W-1293**

AGE :

GATE PASS NO :

*Kate*  
30/01/19

WELDING ENG

WELDING ENGR.

TPI/PMC

CLIENT

*Dhruv*  
IE2



Exhibit No.: WE 12A Rev -0

**QUALIFIED PARAMETERS**

**W-1293**

WPS-No	Process	P-No.	F-No.	Thk. Max. (mm)	Position(s) Groove (3G)		Position(s) Fillet	Min. Pipe O.D. (inch)	Date of Qualification	Welding Eng. Sign.
					Plate & Pipe over 24 in. O.D.	Pipe ≤24 in. O.D.				
03	GMAW	(A)	6	Max.	F & V	F & V	F, V & H	3mm	30/01/19	<i>Kate</i>
	ER70S-6									
14	GMAW	(A)	6	Up to 12mm	F, V	F, V	F, H, V	3mm	23/05/19	<i>Kate</i>
	ER308L-Si									
02	SAW	(A)	4	Max	F, V	F, V	F, H, V	3mm	11/6/19	<i>Shankar</i>

Legend :- @ : P- Nos 1 thro'15F, 34 and 41 thro'49

F- Flat, H- Horizontal, V- Vertical, O- Overhead.

\* : Basemetal thickness = 20mm



FABTECH INTERNATIONAL LIMITED  
P.O.BOX 61015, Tel-048838833, Fax-048835126, JEBEL ALI, DUBAI, UAE

## WELDER PERFORMANCE QUALIFICATION TEST RECORD

Name	RAHUL DAS RAMA NAND DAS		Test Date	27.07.2023	Rev.
ID Number (SAP#)	6014		Record No.	AWS-964-01	0
Stamp No.	W#964		Std. Test No.	WQT-964	0
Company	FABTECH INTERNATIONAL LIMITED		WPS No.	WPS-489-20	0
Division	--		Qualified To	AWS D1.1 EDITION 2020	

BASE METALS	Specification	Type of Grade	AWS Group No.	Size (NPS)	Schedule	Thickness	Diameter
Base Metal	API 5L	X52	II	8 in	160	23.01 mm	200mm
Welded To	API 5L	X52	II	8 in	160	18.01 mm	200mm

VARIABLES	Actual Value	RANGE QUALIFIED
Type of Weld Joint	PIPE -Groove (Fig.10.20)	Groove, Fillet, Plug and Slot Welds and T, K, Y (Min Dihedral Angle - 30°)
Base Metal	Group II to Group II	Any AWS D1.1 Qualified Base Metal

	Groove	Fillet	Groove	Fillet
Plate Thickness	--	--	5mm-Unlimited	Unlimited
Pipe/ Tube Thickness	18.01mm	--	5mm-Unlimited	Unlimited
Pipe Diameter	8 in	--	4" (109.5mm) Min	Unlimited

Welding Process	FCAW	FCAW
Type (Manual, Semiautomatic, Mechanized, Automatic)	Semiautomatic	Semiautomatic, Mechanized, Automatic
Backing	With	With (Incl. Back gouging and Back welding)
Filler Metal (AWS Spec.)	A5.20	A5. xx (Any AWS approved)
AWS Classification	E71T1 9CJ	All
F- Number	-	-
Position	6GR	
Groove - Plate and Pipe $\geq$ 24 in	--	All
Groove - Pipe < 24 in	--	All
Fillet - Plate and Pipe $\geq$ 24 in	--	All
Fillet - Pipe < 24 in	--	All
Progression	Vertical Uphill	Vertical Uphill
GMAW Transfer Mode	--	
Single or Multiple Electrode	Single	Single
Gas/Flux Type	A5.32 SG-C(100% Co <sub>2</sub> )	Any A5.32 Approved

### TEST RESULTS

Type of Test	Acceptance Criteria	Results	Remarks
Visual Examination as per 6.10.1	6.10.1	Acceptable	Witnessed by Mr. Zameer/Mr. Harshit (DNV)
Volumetric NDT (Radiographic Examination)	8.12.2	Acceptable	RT REPORT NO: GPTI-WPQ-RT-0103, Dt: 28-07-2023

### CERTIFICATION

Test Conducted by	Laboratory	Test Number	File Number
	-	--	--

We, the undersigned, certify that the statements in this record are correct and that the test welds were prepared, welded, and tested in accordance with the requirements of Clause 10 of AWS D1.1/D1.1M (\_\_\_\_ 2020 \_\_\_\_ ) Structure Welding Code - Steel.

Prepared By: Asst. Welding Engineer Fabtech International Ltd, Dubai Name: Mohammed Zameerudeen. T Sign:  Date: 28.07.2023	Certified By: Sr. Welding Engineer Fabtech International Ltd, Dubai Name: Shebin K Varughese Sign:  Date: 28.07.2023	Approved By: VP (QA/AC) Fabtech International Ltd, Dubai Name: R. Sateesh Babu Sign:  Date: 28.07.2023	Authorized By: DNV  Date: 28/7/23
---	---	--	--

Document No: FAB/QMF/11-1B REV 1





## RADIOGRAPHIC EXAMINATION REPORT

167-IB

GPTI

[illegible]

Radiography Performed By:		Evaluated By:		Client Representative:		AI / TPI	
Name:	SAMIRAN MAJUMDER	Name:	RAJESH R	Name:	JEYASEELAN	Name:	
Level :	II	Level :	II	Designation:	ASST LEVEL II	Designation:	
Signature:		Signature:		Signature:		Signature:	
Date:	28/07/2023	Date:	28/07/2023	Date:	28/07/2023	Date:	29/07/2023

Abbreviations:							
Porosity	P	No Significant Discontinuities	NSD	Artifact	AF	Grind & Reshoot	GRS
Slag Inclusion	SI	Root Undercut	R-UC	Cluster Porosity	CP	Single Wall Exposure	SWE
Lack of Penetration	LP	Under Fill	UF	Incomplete Penetration	I P	Single wall Viewing	SWV
Root Concavity	RC	Tungeston Inclusion	TI	Repair	R	Double Wall Exposure	DWE
Lack of Fusion	L/F	Excess Penetration	EP	Reshoot	RS	Double Wall Viewing	DWV
Crack	C	External Under Cut	E-UC	Clean & Reshoot	CRS	Other Indications	OI

## Inspection & Testing Solutions

Gulf Pipeline Testing and Inspection, P O Box 73393, Sharjah

Gulf Pipelines Inspection, P O Box 132512, Abu Dhabi

GPTI Inspection Services, P O Box 237951, Dubai

web: [www.gpti.co.in](http://www.gpti.co.in) ■ Email: [info@gptigroup.com](mailto:info@gptigroup.com) ■ Tel: +971 6 656 2435 / 530 0068



Managementsystem:  
ISO 9001:2015  
ISO 14001:2015  
ISO 45001:2018  
[www.faz.com](http://www.faz.com)  
03 91050310000



Report form no-GPTI/NDT/RT/001,REV-6 (Rev date: 29-07-2022)

Disclaimer : This report is a property of GPTI & valid only if signed and stamped by GPTI Technician. Under no Circumstances will GPTI accept any liability for loss or damage; consequential or otherwise caused by use or misuse of the test results. The test report shall not be reproduced in full or in part for any promotional or publicity purpose without the written consent from GPTI



**JEBEL ALI, DUBAI, UAE.**

WELDER NAME: RAHUL DAS RAMA NAND DAS

WELDER NO/PROCESS. W#964 / FCAW.

RENEWAL DATE	VALID UPTO	FABTECH QA/QC/WELDING ENGINEER
28-12-2023	27-06-2024	Rinoy Johnny SCWI 21050208 QC1 EXP 5/1/2024
23-06-2024	22-12-2024	Rinoy Johnny SCWI 21050208 QC1 EXP 5/1/2027

Form Number:FAB/QMF/133 Rev.0



# Appreciation Certificate

IS HEREBY AWARDED TO

**RAHUL DAS RAMA NAND DAS**

IN HIS ROLE AS

**Welder**

FOR HIS SIGNIFICANT ACHIEVEMENT AND OUTSTANDING WORK PERFORMANCE  
IN EXECUTION OF THE FABRICATION AND ERECTION OF ONE ECO HOPPER, ONE CONVEYOR AND TWO SHIPLoadERS.

**DUBAI, 18/08/2022**

**ALESSANDRO PETINATI**

SITE MANAGER

  


**MIRKO DALLE NOGARE**

MANAGING DIRECTOR OF **EPcM.expert**

  


**ALBERT SACHS**

MANAGING DIRECTOR OF **SIS Group**

  






# Appreciation Certificate

IS HEREBY AWARDED TO

**RAHUL DAS RAMA NAND DAS**

IN HIS ROLE AS

**Welder**

FOR HIS SIGNIFICANT ACHIEVEMENT AND OUTSTANDING WORK PERFORMANCE  
IN EXECUTION OF THE FABRICATION AND ERECTION OF  
SHIP LOADER SLA 4400/35 FOR DIBBA BULK HANDLING TERMINAL PROJECT

**JOSE LUIS MORAL**  
Operations Director



**DAVID JURET**  
Site Director



**SHANKAR SADAYAPPAN**  
HSE Manager



**CHUKS MADUKA**  
HSE Manager





# **Nova Tech**

## **ENGINEERS**

141 to 146, G.I.D.C., Kabilpore, Navsari - 396 424,

### **WELDER'S IDENTIFICATION CARD**



### **WL. IDENTITY**

Name

**Rahul Rama Nanda Das**

WI Id #

**NE-WL# 103**

Date

**29/01/2017**

Approval by **Nova-Tech. QA/QC**

### **QUALIFY AS ASME V-III**

Base Material	:	AED D1.1 SA 106 GR B
Welding Process	:	GMAW (MIG)
Consumable	:	ER-316L, ER-308
Welding Position	:	2G, 3G & 4G
Thickness	:	12 mm to Any
Fillet	:	All Size

**This card Valid Up to Six Month**